AD)	

GRANT NUMBER DAMD17-94-J-4450

TITLE: Biological Specimen Bank to Enhance Population Based Studies of Inherited Breast Cancer Genes

PRINCIPAL INVESTIGATOR: Frederick P. Li, M.D.

CONTRACTING ORGANIZATION: Dana Farber Cancer Institute

Boston, Massachusetts 02115-6084

REPORT DATE: October 1998

TYPE OF REPORT: Final

PREPARED FOR: Commander

U.S. Army Medical Research and Materiel Command Fort Detrick, Frederick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for public release;

distribution unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Pagerwork Reduction Project (07/04-0188). Washington, D. 20503

	Total, and to the orner or management at	no badget, i aperwork neddetion	Troject (0704-0188), Washington, DC 20503.
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	3. REPORT TYPE AND	
	October 1998	Final (30 Sep	94 - 30 Sep 98)
4. TITLE AND SUBTITLE			5. FUNDING NUMBERS
Biological Specimen Bank	to Enhance Populati	on Based	
Studies of Inherited Brea	ast Cancer Genes		DAMD17-94-J-4450
6. AUTHOR(S)			
•			
Frederick P. Li, M.D.			
rederron r. Er, m.b.			
7. PERFORMING ORGANIZATION NAME	E(S) AND ADDRESS(ES)		8. PERFORMING ORGANIZATION
7. TEM OTHER DESCRIPTION NAME	-to, And Addition(23)		REPORT NUMBER
Dana Farber Cancer Instit	cute		
Boston, Massachusetts 02			
9. SPONSORING/MONITORING AGENCY	Y NAME(S) AND ADDRESS(ES)		10. SPONSORING/MONITORING
Commander	,		AGENCY REPORT NUMBER
U.S. Army Medical Research	ch and Materiel Comm	and	
Fort Detrick, Frederick,	Maryland 21702-501	.2	
	_		
11. SUPPLEMENTARY NOTES		100	90407 105
		177	7U4U/ IU)
		177	,
12a. DISTRIBUTION / AVAILABILITY ST	ATEMENT		12b. DISTRIBUTION CODE
Approved for public release	ıse; distribution un	limited	
·			
13. ABSTRACT (Maximum 200			
TTL = -1.1: -41 C 41 1 1 C			

The objectives of this infrastructure enhancement project are to establish a population-based biological specimen and companion risk-factor data bank on 225 invasive breast cancer cases, ages 35 and under. These breast cancer cases have been enrolled through the tumor incidence registries in Connecticut, Massachusetts and 7 regions in California with a total population of 21 million (8% of U.S. women). Demographic, epidemiologic and family history data have been collected on 225 cancer cases, and fresh blood specimens have been processed to produce a lymphoblastoid cell line, cDNA and plasma in years 1-3. A computerized file of the epidemiologic data and specimen data has been generated. Despite a series of initial obstacles, we have completed on schedule all activities outlined in our Statement of Work. We have announced the availability of the resource to researchers on the internet with additional data available via the email link on this site. An Outside Advisory Committee will prioritize requests for tissues and risk factor data. This resource is available to multiple investigators for detection of *p53*, *BRCA1/2* and other inherited breast cancer susceptibility genes, and studies of gene-environment interactions.

14. SUBJECT TERMS			15. NUMBER OF PAGES
Breast Cancer			26
			16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT
Unclassified	Unclassified	Unclassified	Unlimited

FOREWORD

Opinions, interpretations, conclusions and recommendations are those of the author and are not necessarily endorsed by the U.S. Army.
Where copyrighted material is quoted, permission has been obtained to use such material.
Where material from documents designated for limited distribution is quoted, permission has been obtained to use the material.
Citations of commercial organizations and trade names in this report do not constitute an official Department of Army endorsement or approval of the products or services of these organizations.
In conducting research using animals, the investigator(s) adhered to the "Guide for the Care and Use of Laboratory Animals," prepared by the Committee on Care and use of Laboratory Animals of the Institute of Laboratory Resources, national Research Council (NIH Publication No. 86-23, Revised 1985).
For the protection of human subjects, the investigator(s) adhered to policies of applicable Federal Law 45 CFR 46.
In conducting research utilizing recombinant DNA technology, the investigator(s) adhered to current guidelines promulgated by the National Institutes of Health.
In the conduct of research utilizing recombinant DNA, the investigator(s) adhered to the NIH Guidelines for Research Involving Recombinant DNA Molecules.
In the conduct of research involving hazardous organisms, the investigator(s) adhered to the CDC-NIH Guide for Biosafety in Microbiological and Biomedical Laboratories

Signature

TABLE OF CONTENTS

Front Cover	Page1
Report Documentation Page	2
Foreword	3
Table of Contents	4
Introduction	5
Body	5
Conclusions	8
References	9
Bibliography	10
List of Personnel	11
Appendix 1	12
Appendix 2	20
Appendix 3	21

INTRODUCTION

Our purpose is to develop a biological specimen bank and epidemiological database of 225 early onset invasive breast cancer cases (ages 35 and under) enrolled in the population-based cancer incidence registry in Connecticut, Massachusetts and 7 regions of California (Santa Clara region, Central Valley, Sacramento, Inland Empire, San Diego, Bay Area, and Orange regions). Approximately one-third of breast cancer cases under age 35 are estimated to be carriers of an inherited gene: estimated carrier rates are 36% at ages 20-29; 29% at age 30; 28% age 31; and 24% at 35 years. The cut-off at age 35 is based on sample-size considerations. This resource will provide an infrastructure for the identification and studies of inherited breast cancer susceptibility genes, and their interactions with hormonal and environmental risk factors. The cases will be generated from a population base of 21 million (8% of entire US population) that is of special Age-adjusted cancer mortality rates, 1985-89, in interest to breast cancer researchers. Massachusetts ranks 6th highest nationwide, and Connecticut ranks 13th 1,2. Both States are in the high breast cancer-mortality belt that spans the Middle Atlantic and New England regions. California, the most populace state in the nation, has substantial minority populations, including Asian-Americans (9.9%), Hispanic-Americans (20.9%), and Black-Americans (6.1%) in the study regions. The racial composition of Massachusetts is 88% Whites, 5% Hispanics, 5% Blacks, 2% Asians, and 0.6% others. In Connecticut, there are 83% Whites, 8% Blacks, 7% Hispanics and 2% Asians and 0.1% others.

BODY

The objectives of the proposal are to identify all incident invasive breast cancer cases, ages 35 and under in a 3-year period, using rapid ascertainment systems available for the population covered by the cancer incidence registries of the State of Connecticut, Commonwealth of Massachusetts, and 7 regions in California that encompass 8% of the entire US population. With permission of the treating physician and patient, we planned to collect a completed questionnaire for 225 subjects, as well as peripheral blood. We proposed to use the blood sample to establish a lymphoblastoid line, produce cDNA, a plasma specimen, and store viably frozen cells along with paraffin blocks in laboratories of the PI and co-PIs in California and Massachusetts. At the end of year 3, we would make available to approved investigators all questionnaire and specimen summary data. An Outside Advisory Committee of leading scientists will prioritize requests from any breast cancer investigator for biologic specimens.

Methods were defined to uniformly collect blood specimens and questionnaire data from incident invasive breast cancer cases (age 35 and under) ascertained in Years 1-3 through the population-based cancer registries for Massachusetts and Connecticut, and 7 participating regions of California. Processing of specimens and establishment of a tissue repository and epidemiologic database for at least 225 cases was targeted. In total 499 eligible subjects were identified and physician permission was granted to contact 456 of these subjects. With physician permission, a total of 291 patients completed the risk factor questionnaire, and 261 lymphoblastoid samples were attained. Summary risk factor data for the 261 subjects who donated blood is attached (Appendix 1). From these blood samples, 211 cell lines were established (Appendix 2). Reasons for line

failures include low blood count, shipment delays and small blood volume from treated cancer patients with poor vein access, as well as technical laboratory problems. An announcement of the database has been on-line for e-mail accession, and specimens can be distributed to investigators with high priority studies. Despite initial obstacles, the project has been completed as described and later modified with DOD approval.

We had established mechanisms for rapid case ascertainment of all incident breast cancer cases within the initial 24 months of the project; obtaining informed consent from subjects; administering a standardized interview; performing a phlebotomy and processing the specimen ³⁻¹⁰. Rapid case ascertainment systems differ slightly in California, Massachusetts and Connecticut. The approach in each region has been determined by cost considerations, and established resources.

In California, the project was conducted through the Cancer Surveillance Program for all 7 population-based California cancer registry regions ³⁻⁵. In addition to the fact that cancer reporting is mandatory throughout the State of California, the Cancer Surveillance Program has long maintained a close working relationship with health care facilities and physicians throughout the region. Many hospitals participate in joint cooperative clinical research protocols. The Cancer Surveillance Program also circulates a newsletter that is used to inform local healthcare facilities and physicians of the study and ensure prompt enrollment of all patients. The rapid case ascertainment systems previously developed for this region have been used in all 7 population-based California cancer registry regions. The Cancer Surveillance Program staff contacted all health care facilities in the region that diagnose breast cancer cases. The Cancer Committee Chair and Tumor Registrar of each hospital of these regions were informed of the study. One individual from each facility was designated as the contact person with the Cancer Surveillance Program staff for rapid identification. The Cancer Surveillance Program staff worked with them to examine pathology reports and surgery logs on a regular basis.

In Connecticut, the rapid case ascertainment system has been used for many studies over the last decade ⁶. For this project, rapid case ascertainment was used to identify cases in the 9 hospitals found in a preliminary study to have reported two-thirds of the incident early-onset breast cancers. Other patients were identified through the usual reporting mechanisms of reporting cancer incidence to the Connecticut Tumor Registry.

In Massachusetts, pilot data show that the majority of very young breast cancer cases are referred to a few specialty centers for consultation and treatment. These cases can be efficiently ascertained at lowest cost by directly approaching clinicians and hospital tumor registries of the Dana-Farber Cancer Institute (the Regional Comprehensive Cancer Center), its sister institutions in Harvard Medical School (Brigham and Women's, Massachusetts General, Beth Israel, Deaconess, and Mount Auburn Hospitals), and Dana-Farber Affiliate community hospitals. Nearly 2/3 of all incident breast cancers of early onset in Massachusetts can be rapidly ascertained through these institutions⁷. Recruitment from more than 100 community hospitals statewide proved problematic, largely because each of their Institution Review Boards (IRBs) had to be approached individually. Some had no previous experience with cancer genetic studies, and others required changes that would destroy uniformity of the study.

Recruitment of subjects, informed consent and questionnaire administration for California cases were handled through UC Irvine, and Massachusetts and Connecticut cases were through Dana-Farber. Consent to participate in this study is a 2-step process. Initially, the physician of the subject was contacted for permission to inform the patient of the study and request voluntary participation. With physician consent, the patient was sent a letter that explained the study, and subsequently telephoned. After verbal consent was obtained a telephone questionnaire was administered. In addition, arrangements were made for collection of up to 50 ml of peripheral blood by venipuncture at a facility specified by the patient.

Arrangements were made for collection and shipment of blood specimens to Boston. We have extensive experience in collecting, shipping and processing freshly collected blood samples from study subjects within the United States ^{3-5, 8-11}. Cases had their blood drawn at either one of the collaborating centers, by their family doctor, oncologist or local health care facility or at a home by a member of the visiting nurse association. The physician or clinic designated by the patient was contacted, and the purpose and procedures explained. A package with consent form, blood collection and handling instructions, Leukoprep tubes, and a pre-paid shipping invoice was sent prior to the date of collection. No medical complications were encountered. These specimens were delivered to the laboratory in Boston by express mail (or by taxi for specimens collected locally). Cells were used to generate EBV immortalized lymphoblastoid cells. This process involves culturing cells over a period of 6-8 weeks before stable immortalized cells are established. A test of cell-viability was performed before the immortalized cells are considered properly frozen and stored. Requests from researchers for a cell line can either be filled directly from these frozen vials or by thawing out samples and regenerating more frozen sample vials. If available, primary lymphocytes have also been viably frozen in 10% DMSO as a reserve source of cells in case there is ever a need to regenerate a new lymphoblastoid cell line, as well as produce genomic DNA.

During the study, however, we had to modify our proposal regarding collection of breast tumor blocks. Hospitals are refusing to send us the blocks, a departure from past standard of practice. Alternatively, they were willing to cut slides, but often at charges of over \$100. A supplemental request to our award could not be made and the Project Officer agreed to drop this aspect of the project. We have met all other study objectives within the time specified in our proposal. To ensure equal access to the resources, the Outside Advisory Committee will prioritize requests. The following breast cancer researchers have agreed in writing to serve on the Committee:

- Dr. Bruce Ponder, Director, CRC Human Cancer Genetics Research Group, Cambridge University, England;
- Dr. Barbara Weber, Director, Breast Oncology Program, University of Michigan Medical and Genome Center; and
- Dr. Anne Bowcock, University of Texas, Southwestern Medical Center.

A group of leading epidemiologists, clinical investigators, molecular biologists and geneticists has been contacted regarding their personal use of the resource to be developed under this proposal. Availability of the database and specimens has been announced on the Internet (see Appendix 3; http://wwwicic.nci.nih.gov/breastdata/sc9dana.htm.) Detailed information about our risk factor database and specimen availability may be provided via the e-mail link on this web site. We have

received a number of inquiries about the specimen bank through the e-mail link on this Internet site. However, no written requests to use this resource have been received to date.

CONCLUSIONS

All aspects of our study have been completed on time. Specifically, we have collected risk factor data from 291 patients under age 35, as stated in our Statement of Work. We have collected bloods from of these 261 patients. Lymphoblastoid cell lines have been successfully established when adequate volume of blood has been obtained. We have already placed an announcement on the Internet regarding the availability of the specimen resource (see attached notice). Our External Advisory Committee is prepared to review our request for utilization of the materials and data. The work has been accomplished despite multiple early problems with hospital IRBs who questioned various aspects of the DOD requirements for informed consent. This is an infrastructure grant, so no publications were expected. However, we are preparing a paper to describe the resource, and to compare risk factor data in our population based series with published data of the Cancer and Steroid Hormone (CASH) Study.

REFERENCES

- 1. Boring CC, Squires TS, Tong T. Cancer Statistics. Cancer 1993;43:7-26.
- 2. Miller BA, Gloeckler LA, Hankey BF, Kosary CL, Edwards BK. U.S. Department of Health and Human Services. Cancer Statistics Review 1973-1989; NIH publication No. 92-2789.
- 3. Anton-Culver H. Epidemiologic assessment of cancer risk: Application from the cancer surveillance program of Orange County. Journal of the American College of Toxicology 1989;8:933-940.
- 4. Anton-Culver H, Bloss JD, Bringman D, Lee-Feldstein A, DiSaia P, Manetta A. Comparison of adenocarcinoma and squamous cell carcinoma of the uterine cervix: A population-based epidemiologic study. American Journal of Obstetrics and Gynecology 1992;166:1507-1514.
- 5. Seiffert JE, Price WT, Gordon B. The California tumor registry: A state-of-the-art model for a regionalized automated, population-based registry. Topics in Health Record Management 1990;11(2):59-73.
- 6. Cusano MM, Young JLJ. Forty-five years of cancer incidence in Connecticut: 1935-1979. U.S. Department of Health and Human Services, vol NIH Publication No 86-2652).
- 7. Friedman DJ, Gershman ST. Cancer Incidence in Massachusetts 1982-1988. .
- 8. Li FP. Cancer families: human models of susceptibility to neoplasia The Richard and Hilda Rosenthal Foundation Award Lecture. Cancer Research 1988;48:5381-5386.
- 9. Li FP, Fraumeni JF, Jr., Mulvihill JJ, Blattner WA, Dreyfus MG, Tucker MA, Miller RW. A cancer family syndrome in twenty-four kindreds. Cancer Research 1988;48:5358-5362.
- 10. Garber JE, Goldstein AM, Kantor AF. Follow-up study of twenty-four families with Li-Fraumeni syndrome. Cancer Research 1991;51:6094-6097.
- 11. Malkin D, Jolly KW, Barbier N, et al. Germline mutations of the p53 tumor suppressor gene in children and young adults with second malignant neoplasms. New England Journal of Medicine 1992;326(20):1309-1315.

BIBLIOGRAPHY

1. Li, F.P. Biological Specimen Bank to Enhance Population Based Studies of Inherited Breast Cancer Genes. The Department of Defense Breast Cancer Research Program Meeting: Era of Hope. October 31-Novemver 4, 1997

PERSONNEL

Name	Role on Project	effort
Frederick Li, M.D.	Principal Investigator	20% 9/30/94-9/29/97 5% 9/30/97-9/29/98
Anastasia Satterfield	Data Manager	25% 9/30/94-9/29/95
Christine Henault	Data Manager	45% 9/30/96-5/31/97
Katherine Nicholls	Data Manager	25% 9/30/97-9/30/98
Nina Cardoza	Data Manager	10% 3/1/98-8/1/98

Appendix 1

SUMMARY RISK FACTOR DATA FOR ALL SUBJECTS WHO DONATED A BLOOD SAMPLE

SPOUND TOTAL 48 YEARS 8-11 YEARS 12 YEARS SOME COLLEGE GRAD	DEMOGRAPHIC INFORMATION	NFOKMAI	2									
TOTAL							COLLEGE					
261 0 8 52 82 100 0.0 3.1 19.9 31.4 261 45 181 5 19 7.3 N 261 45 69.3 1.9 7.3 N BAPTIST EPISCOPOLIAN JEWISH METHODIST L 251 12 10 8 11 L 251 12 10 8 11 L 4.0 3.2 4.4 4.4 L 251 13 28 3 L 261 204 13 28 3 L 100 78.2 5.0 10.7 1.1 EDU 4.0 10.7 1.1 53 EDU 4.0 0.9 2.3 38.0 2.4.9			<8 YEARS	8-11 YEARS	12 YEARS	SOME COLLEGE	GRAD	MASTERS	MD, PHD, JD	OTHER		
SINGLE MARRIED SEPARATED DIVORCED NARRIED NARRIED SEPARATED NARRIED NARRIED SEPARATED NARRIED SEPARATED NARRIED		<u>5</u>	•	8	52	82	£	7	က	ಙ		
SINGLE MARRIED SEPARATED DIVORCED No. 17.2 69.3 1.9 7.3 1.9 7.3 1.0 1.2 1.9 7.3 1.0 1.2 1.0 1.0 1.2 1.0 1.0 1.0 1.0 1.3 2.8 3.2 1.1 1.0 1.0 1.3 2.8 3.3 3.0 1.1 1.0 1.	*	6	0.0	3.1	19.9	31.4	30.3	5.4	1.1	89.		
Single MARRIED SEPARATED DWORCED N								LIVING AS				
261 45 181 5 19 100 17.2 69.3 1.9 7.3 N BAPTIST EPISCOPOLIAN JEWISH METHODIST L 251 12 10 8 11 L 251 12 10 8 11 L 251 12 4.0 3.2 4.4 L 251 204 13 28 3 3 EDU 78.2 5.0 10.7 1.1 6 EDU 4 YEARS 8-11 YEARS 12 YEARS 8 OME COLLEGE 213 2 5 6 6 53 6 100 0.9 2.3 38.0 24.9	WARITAL		SINGLE		SEPARATED	DIVORCED	WIDOWED	MARRIED				
6 100 17.2 69.3 1.9 7.3 N BAPTIST EPISCOPOLIAN JEWISH METHODIST 6 102 4.8 4.0 8 11 6 100 4.8 4.0 3.2 4.4 7 261 204 13 28 3 8 100 78.2 5.0 10.7 1.1 8 100 78.2 5.0 10.7 1.1 8 213 2 5.0 10.7 1.1 6 100 0.9 2.3 38.0 24.9		52	45	181	5	19	0	11				
N	*	8	17.2	69.3	1.9	7.3	0.0	42				
251 12 10 8 11	RELIGION		BAPTIST	EPISCOPOLIAN	JEWISH	METHODIST	MORMAN	PRESBYTERIAN PROTESTANT CATHOLIC UNITARIAN OTHER	PROTESTANT	CATHOLIC I	JNITARIAN	OTHER
100		<u>1</u> 2	12	9	8	11	-	5	8	126	-	49
WHITE BLACK HISPANIC ASIAN 13 28 3 3	×	5	4.8	0.4	3.2	4.4	0.4	20	11.2	50.2	4.0	19.5
WHITE BLACK HISPANIC ASIAN 261 204 13 28 3 3 28 3 3 4 4 5.0 10.7 1.1 2 2 2 3 3 2 2 3 3 2 2							NATIVE					
261 204 13 28 3 100 78.2 5.0 10.7 1.1 4 YEARS 4-11 YEARS 12 YEARS SOME COLLEGE 213 2 5 81 53 100 0.9 2.3 38.0 24.9	ETHNIC		WHITE	BLACK	HISPANIC	ABIAN	AMERICAN	OTHER				
100 78.2 5.0 10.7 1.1 1.1 2.13 2 5.0 12 YEARS SOME COLLEGE 2.13 2.3 38.0 24.9 2		19 2	ই	13	88	3	1	12				
213 2 5 81 53 12 YEARS SOME COLLEGE 510 0.9 2.3 38.0 24.9	×	5	78.2	5.0	10.7	1.1	0 .4	4.6			`	
213 2 5 81 53 100 0.9 2.3 38.0 24.9							COLLEGE					
213 2 5 81 53 100 0.9 2.3 38.0 24.9	SPOUSE EDU		< YEARS	8-11 YEARS	12 YEARS	SOME COLLEGE	GRAD	MASTERS	MD, PHD, JD	OTHER		
100 0.9 2.3 38.0 24.9		213	2	2	18	S	4	10	න	13		
	*	5	6.0	2.3	38.0	24.9	19.2	4.7	3.8	6.1		

PREGNANCY AND FER	TILITY			T		·		1					
PREGNANCI AND LEA		No	Yes	<u> </u>									<u> </u>
EVER PREG		71											1.
EVERPRES		0			3	4	- 6		7				
TOTAL TIMES PREG	190		35			19	14	2	2				
LIVE PREG	326		54		23				0	-			
MISCAR	69		32						0				
STILL BIRTH	3		3		0			0	0				
ABORTION	94		37		2		1	0	0				
ABORTION							· · · · · ·						
0.450=0			Live	Still birth	Miscar	Abort	Multiple	Preg now	1				ĺ
Out Come PREG 1	190		115				2	0					
PREG 2	155		106				1	a					
PREG 3	82		57		8		2						
PREG 4	37		26		6							-	
PREG 6	17		1		1								
PREG 6	2		1	0	0		1						
PREG 6	483	•			63								
	403												
1							Earty+		full term+	iste +			:
		GOAT					CEITY		100 00101			don	
Duration of Pregnancy		know	4	8-16	16-23	24-31	22-36	36-39	40-43	44-47		know	1
PREG WKS 1		1	32		2	2	3	32		4		5	
PREG WKS 2		3			2		10			1		2	
PREG WKS 8			5		1					2		1	
PREG WKS 4			4	- 4	-		1	7		ā		2	
PREG WKS 5		Ö	1		0			1		0		2	
PREG WKS 6		5	- 6		ŏ					0		1	
LUEA MV3 A									 				
					Twin	Twin	Twin boy	 	 				-
			Base	Glri	Girts								
Live born			Boy		1	5075	4	-					
BIRTH 1	117		G 3		-		o						
BIRTH 2	107		50		0								
BIRTH 3	60		29		0		- 0						
BIRTH 4	26		13		1	- 0	0						
BIRTH 6	9		5								•		
								4					
BIRTH 6	2		1	0	9	1	0		ļ				
	320		1						120-134	197-144	145-152	163-160	>160
Birth Weight Oz.			80-88	89-06	97-104	106-112	113-120	121-126			145-152	153-160	
Birth Weight Oz.		2	5	\$9-06 4	97-104	106-112	113-120 12	121-128	12	11	8	4	3
Birth Weight Oz. OZ 1 OZ 2		3	5	89-96 4	\$7-104 10	105-112 19 15	113-120 12 20	121-128 27 18	12 24	11 11	8	4	3
Birth Weight Oz. OZ 1 OZ 2 OZ 8		2 3	5 2 0	89-96 4 3	\$7-104 10 6	106-112 19 15	113-120 12 20	121-128 27 18 12	12 24 12	11 11 5	8 6 4	4	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 2 OZ 3 OZ 4		3 1 0	5 2 0	89-06 4 3 8	\$7-104 10 6 2	106-112 19 15 9	113-120 12 20 10	121-128 27 18 12	12 24 12 4	11 11 5	8 6 4 2	4 4 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 8 OZ 4 OZ 6		2 3 1 0	5 2 0 0	89-66 4 3 8 0	\$7-104 10 6 2 2	106-112 19 15 9	113-120 12 20 10 8	121-128 27 18 12 6	12 24 12 4	11 11 5 3	8 6 4 2 0	4 4 0 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 2 OZ 3 OZ 4		3 1 0	5 2 0	89-06 4 3 8 0	\$7-104 10 6 2	106-112 19 15 9	113-120 12 20 10	121-128 27 18 12 6	12 24 12 4	11 11 5	8 6 4 2 0	4 4 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 OZ 6		2 3 1 0 0	5 2 0 0 0	89-06 4 3 8 0 1	\$7-104 10 6 2 2 1	106-112 19 15 9 1	113-120 12 20 10 9	121-128 27 18 12 6	12 24 12 4	11 11 5 3	8 6 4 2 0	4 4 0 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 5 OZ 6 OZ 6 OZ 6 DZ 6		2 3 1 0 0	5 2 0 0 0 0	\$9.66 4 3 6 0 1 0	\$7-104 10 6 2 2 1 0	106-112 19 15 9 1 1 2 1	113-120 12 20 10 9 1	121-128 27 18 12 6 0	12 24 12 4	11 11 5 3	8 6 4 2 0	4 4 0 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 8 OZ 4 OZ 6 OZ 6 Birth Weight Oz. OZ 1		2 3 1 0 0 9 <88	5 2 0 0 0 0 0 0 89-104	83-86 4 3 8 0 1 1 0 105-129	\$7-104 10 6 2 2 1 1 0	106-112 19 15 9 1 1 2 1 137-162	113-120 12 20 10 8 1 0	121-128 27 18 12 6 0	12 24 12 4	11 11 5 3	8 6 4 2 0	4 4 0 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 OZ 6 OZ 6 OZ 6 Birth Weight Oz. OZ 1		2 3 1 0 0 0 <88 7	5 2 0 0 0 0 0 89-104	89-86 4 3 8 0 11 0 106-120 31	\$7-104 10 6 2 2 1 1 0 121-136	108-112 19 15 9 1 1 2 1 137-162 19	113-120 12 20 10 9 1 0 >152	121-128 27 18 12 6 0	12 24 12 4	11 11 5 3	8 6 4 2 0	4 4 0 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 OZ 6 OZ 6 OZ 6 Birth Weight Oz. OZ 1 OZ 2		2 3 1 0 0 0 0 <88 7 5	5 2 0 0 0 0 0 89-104	89-96 4 3 8 0 1 0 1 105-120 31 35	\$7-104 10 6 2 2 1 0 121-136 39 42	106-112 19 15 9 1 1 2 1 137-162 19	113-120 12 20 10 9 1 0 >162	121-128 27 18 12 6 0	12 24 12 4	11 11 5 3	8 6 4 2 0	4 4 0 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 3		2 3 1 0 0 0 488 7 5 5	5 2 0 0 0 0 89-104 14 9	89-96 4 3 8 0 1 0 1 105-120 31 35	\$7-104 10 6 2 2 1 0 121-136 39 42	106-112 19 15 9 1 2 1 137-162 19 17	113-120 12 20 10 9 1 0 >152	121-128 27 18 12 6 0	12 24 12 4	11 11 5 3	8 6 4 2 0	4 4 0 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 8 OZ 4 OZ 6 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 3 OZ 3		2 3 1 0 0 0 0 488 7 5 5	89-104 14 9	89-86 4 3 8 0 1 1 0 105-120 31 35 19 10	\$7-104 10 6 2 2 2 1 1 0 121-136 39 42 24 10	106-112 19 15 9 1 1 2 1 1 137-162 19 17	113-120 12 20 10 8 1 1 0 >162 10 6 0	121-128 27 18 12 6 0	12 24 12 4	11 11 5 3	8 6 4 2 0	4 4 0 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 3		2 3 1 0 0 0 488 7 5 5	89-104 14 9	89-86 4 3 8 0 1 1 0 105-120 31 35 19 10	\$7-104 10 6 2 2 2 1 1 0 121-138 39 42 24 10	106-112 19 15 9 1 1 2 1 1 137-162 19 17	113-120 12 20 10 8 1 1 0 >162 10 6 0	121-128 27 18 12 6 0	12 24 12 4	11 11 5 3	8 6 4 2 0	4 4 0 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 8 OZ 4 OZ 6 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 3 OZ 3		23 31 11 00 00 <88 7 5 11 00 00	89-104 9 100 2 2	89-96 4 3 8 0 1 1 0 105-129 31 35 19 10 3	\$7-104 10 6 2 2 2 1 1 0 121-136 39 42 24 10	106-112 19 15 9 1 1 2 1 1 137-162 19 17	113-120 12 20 10 8 1 1 0 >162 10 6 0	121-128 27 18 12 6 0	12 24 12 4	11 11 5 3	8 6 4 2 0	4 4 0 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 OZ 6 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 2 OZ 6 OZ 6	320	23 31 11 00 00 00 <88 7 5 11 00 00	89-104 14 9 10 2	89-86 4 3 8 0 1 0 106-129 31 35 19	\$7-104 10 6 2 2 2 1 1 0 121-136 39 42 24 10	106-112 19 15 9 1 1 2 1 1 137-162 19 17	113-120 12 20 10 8 1 1 0 >162 10 6 0	121-128 27 18 12 6 0	12 24 12 4	11 11 5 3	8 6 4 2 0	4 4 0 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 OZ 6 BRFEED 1	117	2 3 1 0 0 0 0 3 48 7 5 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5 2 0 0 0 0 89-104 14 9 10 2 2 0	89-86 4 3 8 0 11 0 105-129 31 35 19	\$7-104 10 6 2 2 2 1 1 0 121-136 39 42 24 10	106-112 19 15 9 1 1 2 1 1 137-162 19 17	113-120 12 20 10 8 1 1 0 >162 10 6 0	121-128 27 18 12 6 0	12 24 12 4	11 11 5 3	8 6 4 2 0	4 4 0 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 OZ 6 Dirth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 BRFEED 1 BRFEED 2	320 317 317 407	23 31 11 00 00 00 <88 7 5 11 00 00 00 00 00 00 00 00 00 00 00 00	5 2 0 0 0 0 89-104 14 9 10 2 2 2 0 Yee 68	89-86 4 3 8 0 1 1 0 106-120 31 35 19	\$7-104 10 6 2 2 2 1 1 0 121-136 39 42 24 10	106-112 19 15 9 1 1 2 1 1 137-162 19 17	113-120 12 20 10 8 1 1 0 >162 10 6 0	121-128 27 18 12 6 0	12 24 12 4	11 11 5 3	8 6 4 2 0	4 4 0 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 OZ 6 Dirth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 BRFEED 1 BRFEED 2	117	2 3 1 0 0 0 0 3 48 7 5 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5 2 0 0 0 0 89-104 14 9 9 2 2 2 0 74 68	89-86 4 3 8 0 1 1 0 105-120 31 35 19 10 3	\$7-104 10 6 2 2 2 1 1 0 121-136 39 42 24 10	106-112 19 15 9 1 1 2 1 1 137-162 19 17	113-120 12 20 10 8 1 1 0 >162 10 6 0	121-128 27 18 12 6 0	12 24 12 4	11 11 5 3	8 6 4 2 0	4 4 0 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 2 OZ 3 OZ 4 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 OZ 6 BRFEED 1 BRFEED 2 BRFEED 3	117 107 60	23 31 10 00 00 00 00 00 00 00 00 00 00 00 00	5 2 0 0 0 0 89-104 14 9 10 2 2 0 Yee 68	89-86 4 3 8 0 1 1 0 105-120 31 35 19 10 3	\$7-104 10 6 2 2 2 1 1 0 121-136 39 42 24 10	106-112 19 15 9 1 1 2 1 1 137-162 19 17	113-120 12 20 10 8 1 1 0 >162 10 6 0	121-128 27 18 12 6 0	12 24 12 4	11 11 5 3	8 6 4 2 0	4 4 0 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 2 OZ 3 OZ 4 OZ 6 Birth Weight Oz. OZ 2 OZ 3 OZ 4 OZ 6 OZ 6 BRFEED 1 BRFEED 2 BRFEED 3 BRFEED 4	320 317 317 407	22 33 11 00 00 00 488 7 5 10 00 00 00 00 00 00 00 00 00 00 00 00	5 2 0 0 0 0 89-104 14 9 9 2 2 2 0 74 68	89-86 4 3 8 0 1 1 0 105-120 31 35 19 10 3	\$7-104 10 6 2 2 2 1 1 0 121-136 39 42 24 10	106-112 19 15 9 1 1 2 1 1 137-162 19 17	113-120 12 20 10 8 1 1 0 >162 10 6 0	121-128 27 18 12 6 0	12 24 12 4	11 11 5 3	8 6 4 2 0	4 4 0 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 2 OZ 2 OZ 3 OZ 2 OZ 3 OZ 4 OZ 5 OZ 8 BRFEED 1 BRFEED 2 BRFEED 3 BRFEED 4 BRFEED 4 BRFEED 6	117 107 50	2 3 3 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5 2 0 0 0 0 89-104 14 9 10 2 2 2 7 4 68 33 33	89-86 4 3 8 0 1 0 105-120 31 35 19 10 3	\$7-104 10 6 2 2 2 1 1 0 121-136 39 42 24 10	106-112 19 15 9 1 1 2 1 1 137-162 19 17	113-120 12 20 10 8 1 1 0 >162 10 6 0	121-128 27 18 12 6 0	12 24 12 4	11 11 5 3	8 6 4 2 0	4 4 0 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 2 OZ 3 OZ 4 OZ 6 Birth Weight Oz. OZ 2 OZ 3 OZ 4 OZ 6 OZ 6 BRFEED 1 BRFEED 2 BRFEED 3 BRFEED 4	117 107 26 26	2 3 3 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5 2 0 0 0 0 89-104 14 9 10 2 2 2 74 68 33 15 5	89-86 4 3 8 0 1 0 105-120 31 35 19 10 3	\$7-104 10 6 2 2 2 1 1 0 121-136 39 42 24 10	106-112 19 15 9 1 1 2 1 1 137-162 19 17	113-120 12 20 10 8 1 1 0 >162 10 6 0	121-128 27 18 12 6 0	12 24 12 4	11 11 5 3	8 6 4 2 0	4 4 0 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 OZ 6 BRFEED 1 BRFEED 2 BRFEED 3 BRFEED 4 BRFEED 6 BRFEED 6	117 107 26 26	23 31 00 00 00 488 7 5 11 00 00 433 399 211 4	5 2 0 0 0 0 89-104 14 9 10 2 2 0 74 68 33 15	89-86 4 3 8 0 11 0 105-129 31 35 19	\$7-104 10 6 2 2 1 1 0 121-136 39 42 24 10 0	106-112 19 15 9 1 2 1 137-162 19 17 9 5 3	113-120 12 20 10 9 11 0 >162 >162 0 0 0 2 2	121-128 27 18 12 6 0	12 24 12 4	11 11 5 3	8 6 4 2 0	4 4 0 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 BRFEED 1 BRFEED 1 BRFEED 2 BRFEED 3 BRFEED 4 BRFEED 6 BRFEED 6 Weeks breast fed	117 107 26 26	23 31 10 00 00 00 00 00 00 00 43 39 26 11 4	5 2 0 0 0 0 89-104 14 9 10 2 2 0 74 68 33 15 5	89-86 4 3 8 0 106-129 31 35 19 10 3 1	97-104 10 6 2 2 1 1 0 121-136 39 42 24 10 0	106-112 19 15 9 1 1 2 1 137-162 19 17 9 5 3	113-120 12 20 10 9 11 0 >162 >162 2 2 2	121-128 27 18 12 6 0 0	12 24 12 4 0 0	11 11 5 3 3 0	8 6 4 2 0	4 4 0 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 5 OZ 6 BRFEED 1 BRFEED 1 BRFEED 2 BRFEED 3 BRFEED 4 BRFEED 6 BRFEED 6 BRFEED 6 Weeks breast fed NURSE 1	117 107 26 26	23 31 10 00 00 00 00 00 00 00 00 00 00 00 00	5 2 0 0 0 0 89-104 14 8 10 2 2 2 0 Yes 33 15 5	89-86 4 3 8 0 1 1 0 105-120 31 35 19 10 3 1	97-104 10 6 2 2 1 1 0 121-136 30 42 24 10 0	106-112 19 15 9 1 2 1 137-162 19 17 9 5 3 0	113-129 12 20 10 9 11 00 9 11 00 9 11 00 9 12 10 9 10 9	121-128 27 18 12 6 0 0	70 to 139	11 11 5 3 3 0	8 6 4 2 0	4 4 0 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 5 OZ 8 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 5 OZ 6 BRFEED 1 BRFEED 2 BRFEED 3 BRFEED 4 BRFEED 6 BRFEED 6 Weeks breast fed NURSE 1 NURSE 2	117 107 26 26	23 31 10 00 00 00 00 00 00 00 00 00 00 00 00	5 2 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	89-86 4 3 8 0 1 1 0 105-120 31 35 19 10 3 1 1	97-104 10 6 2 2 11 0 121-136 39 42 24 10 0 0	106-112 19 15 19 1 12 11 137-162 19 17 9 5 3 0	113-120 12 20 10 9 1 1 0 0 >162 10 6 0 0 2 2 2	121-128 27 18 12 6 0 0	70 to 139	11 11 5 3 3 3 0 0	8 6 4 2 0	4 4 0 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 5 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 OZ 6 BRFEED 1 BRFEED 2 BRFEED 3 BRFEED 4 BRFEED 6 BRFEED 6 Weeks breast fed NURSE 1 NURSE 2 NURSE 3	117 107 26 26	23 31 00 00 00 00 00 00 00 00 00 00 00 00 00	5 2 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	89-86 4 3 8 0 1 1 0 105-120 31 35 19 10 3 1 1	\$7-104 10 6 2 2 1 1 121-138 39 42 4 10 0 0	106-112 19 15 9 1 1 2 1 1 137-162 19 5 3 0	113-120 12 20 10 9 11 00 >162 10 00 22 22 50 to 59	121-128 27 18 12 6 0 0	70 to 139	11 11 5 3 3 0	8 6 4 2 0	4 4 0 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 5 OZ 2 OZ 3 OZ 4 OZ 5 OZ 6 BRFEED 1 BRFEED 1 BRFEED 2 BRFEED 3 BRFEED 4 BRFEED 6 BRFEED 6 Weeks breast fed NURSE 1 NURSE 2 NURSE 3 NURSE 4	117 107 26 26	2 3 3 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5 2 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	89-86 4 3 8 0 1 1 0 105-120 31 35 19 10 3 1 1	\$7-104 10 6 2 2 1 1 0 121-136 39 424 10 0 0 0	106-112 19 15 9 1 1 2 1 1 137-162 19 5 3 0	113-120 12 20 10 10 9 1 0 0 >162 10 0 0 0 2 2 2 50 to 59	121-128 27 18 12 6 0 0	70 to 139	11 111 5 3 0 0	8 6 4 2 0	4 4 0 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 5 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 5 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 5 OZ 6 BRFEED 1 BRFEED 2 BRFEED 3 BRFEED 4 BRFEED 6 BRFEED 6 BRFEED 6 Weeks breast fed NURSE 1 NURSE 2 NURSE 3 NURSE 4 NURSE 5	117 107 26 26	23 31 10 00 00 00 00 00 00 00 00 00 00 00 00	5 2 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	89-86 4 3 8 0 106-129 31 35 19 10 3 1 1 29 to 29	97-104 10 6 2 2 11 0 121-136 39 42 24 10 0 0 17 17 17 10 11 11 11 11 10 10 10 10 10 10 10 10	106-112 19 15 9 1 1 2 1 137-162 19 17 9 5 3 0	113-120 12 20 10 9 11 0 10 0 10 0 11 0 10 0 11 0 10 0 10	121-128 27 18 12 6 0 0	70 to 139	11 111 5 3 3 0 0	8 6 4 2 0	4 4 0 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 5 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 5 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 5 OZ 6 BRFEED 1 BRFEED 2 BRFEED 3 BRFEED 4 BRFEED 6 BRFEED 6 BRFEED 6 Weeks breast fed NURSE 1 NURSE 2 NURSE 3 NURSE 4 NURSE 5	117 107 26 26	23 31 11 00 00 00 00 00 00 43 39 28 11 4 1 10 9	5 2 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	89-86 4 3 8 0 105-129 31 35 19 10 3 1 1	97-104 10 6 22 21 11 00 121-136 30 42 24 100 0 10 10 10 10 10 10 10 10 10 10 10	106-112 19 15 1 2 1 137-162 19 17 9 5 3 0	113-120 10 10 10 10 10 10 10 10 10 10 10 10 10	121-128 27 18 12 6 0 0	70 to 139	11 11 5 3 3 3 0 0	8 6 4 2 0	4 4 0 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 5 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 5 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 5 OZ 6 BRFEED 1 BRFEED 2 BRFEED 3 BRFEED 4 BRFEED 6 BRFEED 6 BRFEED 6 Weeks breast fed NURSE 1 NURSE 2 NURSE 3 NURSE 4 NURSE 5	117 107 26 26	23 31 10 00 00 00 00 00 00 00 00 00 00 00 00	5 2 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	89-86 4 3 8 0 105-129 31 35 19 10 3 1 1	97-104 10 6 22 21 11 00 121-136 30 42 24 100 0 10 10 10 10 10 10 10 10 10 10 10	106-112 19 15 1 2 1 137-162 19 17 9 5 3 0	113-120 10 10 10 10 10 10 10 10 10 10 10 10 10	121-128 27 18 12 6 0 0	70 to 139	11 11 5 3 3 3 0 0	8 6 4 2 0	4 4 0 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 5 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 5 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 5 OZ 6 BRFEED 1 BRFEED 2 BRFEED 3 BRFEED 4 BRFEED 6 BRFEED 6 BRFEED 6 Weeks breast fed NURSE 1 NURSE 2 NURSE 3 NURSE 4 NURSE 5	117 107 208	23 31 10 00 00 00 00 00 00 00 00 00 00 00 00	55 2 0 0 0 0 89-104 14 9 10 2 2 2 0 74 68 33 15 8 10 to 19 10 to 19 10 to 19	89-86 4 3 8 0 11 0 105-129 10 3 1 10 3 1 1 20 to 29 11 12 6 2 2 2 3 3 3 3 3 5	97-104 10 6 22 21 11 00 121-136 30 42 24 100 0 10 10 10 10 10 10 10 10 10 10 10	106-112 19 15 1 2 1 137-162 19 17 9 5 3 0	113-120 10 10 10 10 10 10 10 10 10 10 10 10 10	121-128 27 18 12 6 0 0	70 to 139	11 11 5 3 3 3 0 0	8 6 4 2 0	4 4 0 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 5 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 5 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 5 OZ 6 BRFEED 1 BRFEED 2 BRFEED 3 BRFEED 4 BRFEED 6 BRFEED 6 BRFEED 6 Weeks breast fed NURSE 1 NURSE 2 NURSE 3 NURSE 4 NURSE 5	117 107 208	2 3 3 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	744 99 10 to 19 10 to 19 10 to 19	89-86 4 3 8 0 11 0 106-120 31 35 19 10 3 1 1 20 to 29 11 12 6 2 2 2 3 3	97-104 10 6 22 21 11 00 121-136 30 42 24 100 0 10 10 10 10 10 10 10 10 10 10 10	106-112 19 15 1 2 1 137-162 19 17 9 5 3 0	113-120 10 10 10 10 10 10 10 10 10 10 10 10 10	121-128 27 18 12 6 0 0	70 to 139	11 11 5 3 3 3 0 0	8 6 4 2 0	4 4 0 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 5 OZ 2 OZ 3 OZ 4 OZ 5 OZ 6 BRFEED 1 BRFEED 1 BRFEED 2 BRFEED 3 BRFEED 4 BRFEED 6 BRFEED 6 Weeks breast fed NURSE 1 NURSE 2 NURSE 3 NURSE 4	117 107 208	23 31 10 00 00 00 00 00 00 00 00 00 00 00 00	744 99 10 to 19 10 to 19 10 to 19	89-86 4 3 8 0 11 0 106-120 31 35 19 10 3 1 1 20 to 29 11 12 6 2 2 2 3 3	97-104 10 6 22 21 11 00 121-136 30 42 24 100 0 10 10 10 10 10 10 10 10 10 10 10	106-112 19 15 1 2 1 137-162 19 17 9 5 3 0	113-120 10 10 10 10 10 10 10 10 10 10 10 10 10	121-128 27 18 12 6 0 0	70 to 139	11 11 5 3 3 3 0 0	8 6 4 2 0	4 4 0 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 5 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 5 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 5 OZ 6 BRFEED 1 BRFEED 2 BRFEED 3 BRFEED 4 BRFEED 6 BRFEED 6 Weeks breast fed NURSE 1 NURSE 2 NURSE 5 NURSE 6	117 107 208	2 3 3 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	744 99 10 to 19 10 to 19 10 to 19	89-86 4 3 8 0 106-129 31 35 19 10 3 1 1 29 to 29	\$7-104 10 6 2 2 11 0 121-136 39 42 24 10 0 0 17 17 6 11 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	106-112 19 15 9 1 137-162 19 17 9 5 3 0 40 to 49	113-120 12 20 10 9 11 0 10 0 10 0 11 0 10 0 11 0 10 0 11 0 10	121-128 27 18 12 6 0 0 0	70 to 139	11 11 5 3 3 3 0 0	8 6 4 2 0	4 4 0 0	3 1 0
Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 5 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 6 Birth Weight Oz. OZ 1 OZ 2 OZ 3 OZ 4 OZ 5 OZ 6 BRFEED 1 BRFEED 1 BRFEED 2 BRFEED 3 BRFEED 4 BRFEED 6 BRFEED 6 Weeks breast fed NURSE 1 NURSE 2 NURSE 5 NURSE 6	117 107 208	2 3 3 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	744 99 10 to 19 10 to 19 10 to 19	89-86 4 3 8 0 106-129 31 35 19 10 3 1 1 29 to 29	\$7-104 10 6 2 2 11 0 121-136 39 42 24 10 0 0 17 17 6 11 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	106-112 19 15 9 1 137-162 19 17 9 5 3 0 40 to 49	113-120 12 20 10 9 11 0 10 0 10 0 11 0 10 0 11 0 10 0 11 0 10	121-128 27 18 12 6 0 0	70 to 139	11 11 5 3 3 3 0 0	8 6 4 2 0	4 4 0 0	3 1 0

	7	1	4	2	4	0	0	v	N K		T		
MED PREG 1	 '	 	2			+		1		 	 	┼	+
MED PREG 2	1 - 2		0					1		 	 	 	+
MED PREG \$		1	<u>_</u>		<u> </u>	1			7	 	 	 	
Medication taken to hold			Other	Pills	Shots	Yutapar			Progestero ne				
PMED 1	7	1	0	2	2	1	0			· · · · · · · · · · · · · · · · · · ·			
PMED 1	4		0	1	2	0	1	0		*			
PMED \$	2		0	0	1	0	1	0	0 (
PMED *													
			<10	10to19	20to29	30to39							
ST PMED WK\$ 1			3	0	2	2							
ST PMED WKS 2			2		2	0					-		
ST PMED WKS 3			0		1	1							
41 CMCD 111/44	 		· · · · ·										I
Weeks taken During						·	Don't						
pregnancy	1		<10	10to19	20to29	30to39	know	i			_		
PMED WKS 1			4	2		1	0						
PMED WKS 2			2	0	0	1	1		·		·		
PMED WKS 8		-	1	- 0			1						
T MALL TITMS &	 	No											
TRY PREG	260		33						 				
FERT TEST	34		13		-				 				
			Self		Both	None			 	know			
Problem due to:			300	HUEDENG	9001	700110			 	2			
FERT PROS	13		Yes			-		\vdash	 		 		
		No 255							 	 			$\vdash \vdash$
FERT DRUG	261	230							 	 			
State Control Dillo		 				 			 				
Birth Control Pills		No	Yes						 	·			
	261		230						 	 			
BCP			- 430						 	<u> </u>		108 to	
	Don't		4 44 44	42 10 22	24 10 95	28 to 47	42 10 50	60 to 71	72 to 83	24 10 24	96 to 107		>=120
Months taken			1 to 11				19				1	- ''	
BCP MOS 1	7			34						2	1	2	
BCP MOS 2	5		14	- 5		7	5					1	
BCP MOS 8	14		14			 	-		 				
2			Yes			 			 	—			
Reason not used BCP			2			 			 	 			
BCP Dr.			1			 			 				
BCP FAMHX			- 1			 			 				
BCP SAFE			23				-		 	 			
BCP CHOICE		- N-							 	 		-	
		No 231	Yes 30			 			 	 			<u> </u>
OTH HORM USE	261	231	30			 			 				
HORM NAME						 		 	 				
HORM REASON		ļ—				 			 	 			
HORM ST						 			 				
HORM MOS	Months 30		0 to 11 20		24 to 35	36 to 47	>100						

1.1	11	١
170	$L\!$	7

Health		No	Yes	<10	10to14	15to19	20to24	25to29	30to35	
	261	245			100014	1000.0		1		
GALL BLADDER	201	240	- 10	0	0	0	4	- e	8	
AGE GALL		244						-	-	
ACNE	261	241	20		40		2	2		
AGE ACNE				0	10	4			2	
DIABETES	261	257				ļ				
AGE DIABETES				0	1	0	0	2	1	
POLYPS	261	259	. 2							
AGE POLYPS	,			0	1	0	0	0	1	
HIRSUTISM	261	251	. 10							
AGE HIRSUT				0	1	3	1	1	1	
OV CYST	261	209	. 52							
AGE CYST				1	1	10	4	15	18	
HBP	261	253	8							
AGE HBP				0	0	2	2	2	2	
HI CHOL	261	234	. 27							
AGE CHOL				0	0	2	6	6	11	
PELVIC SURG	261	243	18							
				1	0	6	2	5	4	
EST		17	1							
FIBROCYSTIC	261	207	. 54							
AGE FIBRO				0	0	9	12	22	10	
PRIOR BX	261	232	29		<u> </u>					
REASON BX	201		28	0	1				-	
PRIOR BX AGE				0	1	8	6	4	8	
PRIOR BX AGE			Benign							
			Cyst	Malignancy	Unkn	l				
AV PINIA			26		1					
BX FIND	261	249			<u> </u>	<u> </u>				
BR SURG	201	3								
BR SIZE				0	0	2	3	6	. 1	
BR SURG AGE			Augmosta		-	-				
			Augmenta tion	Reduction	Other			1	1	
			8 8		2	 	 			
BR PROCED			Self		MD	Other		 		
				Marnogam 17				<u> </u>		
BR FOUND	261	<u> </u>	208	1/		<u> </u>		 	 	
					 	ļ		 		
SMOKING HISTORY										
		No	Yes							
SMOKE 100		153	108				<u> </u>			
SMOKE NOW		74	34		1000	001:5:	45 45 65	304-64		
		0	1 to 9	10 to 14					 	
SMOKE START			1					. 1		
SMOKE END		,•	0							
DUR_SMOKE WOOKS		2	22							
-		1 to 4	\$ to 9					_	60 to 69	Don't Knov
CIG DAY		24	13	32	27	3	4	0	1	4

HEIGHT, WEIGHT & ACTIVITY															_
	6	10	11	12	13	14	. 15	16	17	18	19	19 20 to 24	25to 29	30+	Ą
MEN 1ST	8	12	40	74	69	35	12	9	2						3
MEN REG AGE	2	10	20	46	36	39	25	19	6	15	4	6		0	3 15
					Never										
		Natural	BC Pills	Other	reg			-							_
MEN REG		210	40	2	9										
		Much	Some	Averag some		yonw									
		lower	what	e e	what	higher									
HEIGHT 12		18	38	100	57	48									
WEIGHT 12		43	29	114	39	9									
						,									
	ou	yes .													
VIG PHY 12	110	151		104 to	156 to	208 to	260 to	312 to	364 to						
times per year		<62	52 to 103	155	207	259	311	363	415						
VIG FREQ 12		1	7	18	31	13	42	5	35						
	ou	yes													
VIG WEIGHT 12	148														_
MOD PHY 12	24	237		104 to	156 to	208 to 260 to		312 to	364 to					_	_
times per year		<62	52 to 103 155			259	311	363	415						
MOD FREQ 12		-	12	30	47	16	55	1	69						4
Req to keep wt low?	2	yes													
MOD WEIGHT 12	235	2													
				a little	very										
		very		over	over					Don't					
		slender	avera	weig	weight					know					
BUILD 20		90	115	20	5					Ŧ					\dashv

														dont		-	
Height	Inches	- 09>	9	61	62	63	64	65	99	67	89	69< 69		know			
HEIGHT 20		7	14	13	24	26	36	32	28	24	22	12	23	0			
				100 to	110 to	120 to	130 to 140 to		150 to 160 to		170 to	180 to	190 to		dont		
WEIGHT	spunod	06>	66-06	109		129	139	149	159	169	179	189	199	200+	know		
WEIGHT 20		1	11	35	43	69	39	23	11	8	8	4	0	5	4		
		uo	yes														
VIG PHY 20		174	28		104 to	156 to	208 to 260 to		312 to 364 to	364 to							
times per year			<52	52 to 103	155	207	259	311	363	415							
VIG FREQ 20			9	9	8	19	15	16	5	11							
		no	yes		-									-		_	
VIG WEIGHT 20		80	4									,					
MOD PHY 20		75	186														
					104 to	to	208 to 260 to		312 to 364 to	364 to							
			<52	52 to 103	03 155	207		311	363	415							
MOD FREG 20			8	14	42	49	23	24	1	23							
		uo	yes														
1 MOD WEIGHT 20		182	4								0						
			9	110 to	\$	\$	2	₽	\$								
		<100	109	119	129		149			170 +							_
WEIGHT LO		16	42	58	62	36	14	13	10	9							
WEIGHT HI		0	9	16	30	20	33	31	25	61							
		<20	20		22	23	24	25	26	27	28	29	30	31	32	33	34 35
WEIGHT LO AGE			94	38		20	14	22	10	8	8	9	10	E	2	7	0
WEIGHT HI AGE		10	10	8	4	5	12	20	12	11	16	17	32	13	17	30	27 12
		Never		around													
		over	below	_													
		weignt	waist	Waist	ed												
WEIGHT GAIN	261	4	142	46	69												

ALCOH 16 BEER 16 WINE 16 LIQ 16		No 169	Yes						
ALCOH 16 BEER 16 WINE 16 LIQ 16	92	169					_		
BEER 16 WINE 16 LIQ 16	92								
WINE 16 LIQ 16	92	18	74						
LIQ 16		65	27						
	92	58	34						•
	-							Dont	
			1 to 5	6to10	11to15	11to15 15to20	20+	know	
BEER WK 16	74		46	19	3	0	1	5	
WINE WEEK 16	27		25		2 0	0	0	0	
LIQ WK 16	34	•	25	2	3	1	3	0	
		No.	Yes						
ALCOH 20	261	101	160						
BEER 20	160	99	104						
WINE 20	104	95	63						
LIQ 20	62	83	78						
								Dont	
			1 to 5	6to10	11to15	15to20	20 +	know	
BEER WK 20	104		99	32	10	3	1	0	
WINE WK 20	62		99		5 1	0	0	0	
LIQ WK 20	92 26		29		9 3	5	0	0	
			-						

Appendix 2

DOD - Early Breast Cancer Study Summary of Responses

Eligible Subjects	499
Physician Permission	456
Interview Completed	291
Blood Received	261
Specimens Available*	235
Cell Lines Established	211

^{*} Either frozen cell line, plasma, blood or DNA

Appendix 3

INTERNET SITE ANNOUNCING AVAILABILITY OF THE BIOLOGICAL SPECIMEN BANK AND EPIDEMIOLOGICAL DATABASE



Breast Cancer Specimen Data Information System

Welcome to the NCI Breast Cancer Specimen and Data Information System

whats new
dafabase
labout
suggest

This <u>database</u> was developed by the <u>National Cancer Institute (NCI)</u> to help breast cancer researchers identify sources of biological specimens needed for their research. Breast cancer researchers can use this database to identify biological specimen banks or distribution systems where they can obtain specimens from patients diagnosed with breast cancer, individuals at high risk, and unaffected individuals. Specimens in these resources include breast tissue (normal and malignant), serum, urine, cells, and DNA.

The database is not intended as an exhaustive national listing of all facilities with access to breast tissue. It is limited to resources with the capability and desire to provide breast cancer specimens to the scientific community at large, generally with cost reimbursement or a requirement for scientific collaboration. Many holders of specimens, such as community hospitals and private pathology laboratories, are not able to make tissue available on request and these resources are not listed.

Cancer researchers who need additional help identifying sources of breast tissue specimens, or specimens from other tumor sites should contact the <u>NCI Tissue Expediter</u>.

Information about breast cancer clinical trials can be found on the <u>NCI Cancer Trials</u> website. The <u>CancerNet</u> contains a wealth of other information for <u>cancer patients and the public</u>, and also for <u>health professionals</u>.

disclaimer



Current Database Contents

RESOURCE	TISSUE TYPE(S)	OTHER DATA
Dana Farber Cancer Institute, Boston, MA	Frozen Cell lines	Demographic Clinical Other
Duke University, Durham, NC	Fresh Frozen	Demographic Clinical Outcome
Georgetown University Medical Center and Lombardi Cancer Center and SPORE, Washington, DC	Fresh Frozen Paraffin-embedded	Demographic Clinical Outcome
National Cancer Institute of Canada - Manitoba Breast Tumor Bank, Winnipeg, Manitoba, Canada	Frozen Paraffin-embedded	Demographic Clinical Outcome
National Surgical Adjuvant Breast and Bowel Project (NSABP)	Paraffin-embedded	Demographic Clinical Outcome
NCI Cooperative Breast Cancer Tissue Resource (CBCTR)	Paraffin-embedded	Demographic Clinical Outcome Other
NCI Cooperative Human Tissue Network (CHTN)	Fresh Frozen Paraffin-embedded	Demographic Clinical Outcome
NCI Surveillance, Epidemiology, and End Results Program (SEER)	N/A	Demographic Clinical Outcome
New York University, New York, NY	Frozen Paraffin-embedded	Demographic Clinical
North Central Cancer Treatment Group Research Base at Mayo Clinic, Rochester, MN	Paraffin-embedded	Demographic Clinical Outcome
San Antonio SPORE - Familial Breast Cancer Registry and Gene Bank, San Antonio, TX	Frozen Paraffin-embedded	Demographic Clinical Outcome
San Antonio SPORE - National Breast Cancer Tissue Resource, San Antonio, TX	Frozen	Demographic Clinical Outcome

University of Michigan, Ann Arbor, MI	Fresh Frozen Paraffin-embedded Cell lines	Demographic Clinical Outcome
University of Pennsylvania, Philadelphia, PA	Fresh Frozen Paraffin-embedded Cell lines	Demographic Clinical Outcome

whats new darabase about suggest. resources home



Breast Cancer Data Resource

Name:

· Dana Farber Cancer Institute

Address:

44 Binney Street Boston, MA 02115

Description:

The Dana Farber Cancer Institute has established a population-based biological specimen and risk

factor data bank on 225 invasive breast cancer cases, who were aged 34 and under.

One-third of

these exceptionally young study subjects are estimated by statistical analysis to be carriers of a

susceptibility gene. These 225 women have been ascertained over 3 years through the tumor

incidence registries in Connecticut, Massachusetts, and 7 regions in California, with a total

population of 21 million (8% of U.S. women). This work was supported by the U.S.

Medical Research and Material Command under DAMD-17-94-J-4450.

CONTACT INFORMATION

Type(s) of Specimens Available:

Fresh blood specimens have been processed to produce:

- a lymphoblastoid cell line
- genomic DNA
- plasma
- viably frozen cells.

Number of Specimens Held:

225 cell lines and frozen blood specimens

Other Available Data:

• Demographic: Age, sex, race, ethnicity

• Clinical: Laterality (right, left, both breasts)

 Other: Age at diagnosis, medical history, family history, pregnancy and fertility, smoking, alcohol, prenatal

NOTE: All questionnaire data at this stage are unconfirmed.

Researcher Requirements for Obtaining Specimens/Data:

Breast cancer-related specimens/data are available or procured for distribution to outside

researchers without restrictions related to collaboration. An outside advisory committee will

prioritize requests for specimens and risk factor data. All specimens sent to outside investigators will remain stripped of identifiers.

Procedures to Obtain Access to Specimens/Data:

Contact Dr. Frederick Li or Katie Nicholls for further information.

Costs to Researchers:

Approved researchers will be required to pay for the costs associated with generating and delivering all specimens, such as cell lines.

Limitations of Specimen Use:

No information that identifies an individual subject will be provided.

Consent:

Not applicable. Data provided will be non-identified.

Date of Last Update:

July 31, 1997

what's new database about suggest resources home